



Fire Hydrant – 3 Nozzle Ductile Iron


Form 12740 – rev 06/15



PART #	NOZZLE CONFIG.	FLANGE PATTERN	Weight
J4060AR	4 1/2" x 2 1/2" x 2 1/2"	6-Ø 3/4" (19mm) Holes, 9 3/8" (238mm) DBC	148 lb (67Kg)
J4060BR	4" x 2 1/2" x 2 1/2"	8-Ø 7/8" (22mm) Holes, 9 1/2" (241mm) DBC	154 lb (70Kg)
J4060CR	4" x 2 1/2" x 2 1/2"	6-Ø 7/8" (22mm) Holes, 9 1/2" (241mm) DBC	143 lb (65Kg)
J4060DR	4" x 2 1/2" x 2 1/2"	6-Ø 3/4" (19mm) Holes, 9 3/8" (238mm) DBC	143 lb (65Kg)
J4060ER	4 1/2" x 2 1/2" x 2 1/2"	8-Ø 7/8" (22mm) Holes, 9 1/2" (241mm) DBC	143 lb (65Kg)



Product Features

- Meets or exceeds ANSI/AWWA C503.
- Individual Valve operation.
- Limited number of internal parts.
- Nozzle Threads conform to NFPA 1963, NH/NST (other Thread forms available to order).
- Removable Nozzle design.
- Available in a variety of bolt hole patterns.
- Low-zinc Silicon Bronze Stems.
- Heavy-duty Disc Holder.
- Product rated up to 250psig/17barg, hydrostatically tested at 500psig/34barg.
- O-ring Stem Seals.
- Epoxy-coated Interior meets AWWA C550 and NSF 61.
- 10-year limited warranty.
- 5" integral Storz Pumper Nozzle available.
- Contemporary design features a contoured head and fluted spool.
- Made in the U.S.A.



Parts List


ID	PART NAME	MATERIAL
1	Hydrant Body	Ductile Iron ASTM A536
2	Nozzle Inserts	Brass ASTM B584 Alloy C89833
3	Hose Caps	Cast Iron ASTM A126
4	Hydrant Stem	Silicon Bronze ASTM B584
5	Stem Locknut	Brass ASTM B584 Alloy C89833
6	Beveled Hydrant Disc	BUNA-N
7	Hydrant Disc Locknut	Brass ASTM B584 Alloy C89833
8	Stem Insert	Brass ASTM B584 Alloy C89833
9	Pent Nut	Brass ASTM B584 Alloy C87600
10	Pent Nut Retainer	Copper Alloy UNS C83600
11	Hydrant Disc Holder	Brass ASTM B584 Alloy C89833
12	Nozzle Gasket	Neoprene
13	O-Rings	BUNA-N
14	Chain	Zinc Coated Steel



INTERNATIONAL DIVISION



Fire Hydrant – 3 Nozzle Ductile Iron



Copyright © 2014 Mueller Co., LLC. All Rights Reserved. The trademarks, logos and service marks displayed in this document herein are the property of Mueller Co., LLC, its affiliates or other third parties. These products are intended for use in potable water applications. Please contact your Mueller Sales or Customer Service Representative concerning any other application(s).



INTERNATIONAL DIVISION